


NEOKLIN

DETERSOLVENT DEGREASER



GENERAL DESCRIPTION

NEOKLIN is a low foam water based deter solvent containing high boiling solvents, formulated for fast removing of greasy spots (mineral oils, tar and the like) and old coats of waxes.

NEOKLIN diluted in water forms a detergent emulsion that dissolves and removes grease and oil through a solubilizing process. It is indicated for garages, machines shops, engines etc. It can also be used to clean wooden or terra cotta floors treated with oils or solvents based waxes.

NEOKLIN can also be used on office desks and furniture to remove ink and pen marks.

DIRECTION FOR USE

Use at a dilution of 3-5% for automatic machines.

Use at a dilution of 10-20% for stripping old coats of waxes on wood floors before the application of a wood sealer. Rinse quickly and vacuum.

Use at a dilution of 50% or pure for tar and thick greasy coats. Scrub the floor with a floor machine, rinse with warm water then vacuum off.

TECHNICAL DATA

Appearance	straw yellow liquid
pH	10.5 ± 0.3
Density	0.990 g/ml
Active contents	35%

Chemical composition - Reg. (EC) 648/2004

- Anionic surfactants	conc. 5-15%
- Non-ionic surfactants	conc. < 5%
- Aromatic hydrocarbons	conc. 5-15%
- Soap	conc. < 5%

The product contains surfactants with primary biodegradability at least 90% and ultimate aerobic biodegradation complying with Reg. (EC) No. 648/2004.

WARNINGS

Labelling



Danger

May be fatal if swallowed and enters airways. Causes serious eye damage. Causes skin irritation. May cause respiratory irritation. Harmful to aquatic life with long lasting effects. Read carefully the safety data sheet before use.



KEMIKA Spa - Sede operativa e stabilimento
Via G. Di Vittorio 55 - 15076 Ovada (AL) ITALIA
Tel: ++39 (0) 143 80494 – Fax: ++39 (0) 143 823068
info@kemikaspa.com - www.kemikagroup.com

